


ITEM #	PART #	DESCRIPTION	QTY.
1	20-232	BACK PLATE	1
2	20-231	LEFT SIDE PANEL	1
3	20-230	RIGHT SIDE PANEL	1

4U FOR EQUIPMENT MOUNTED
VERTICALLY ON BACKPLATE

2U FOR EQUIPMENT MOUNTED
VERTICALLY INSIDE OF BACKPLATE

10U FOR EQUIPMENT MOUNTED
VERTICALLY ON SIDE PANELS



NOTES:

1. INSTALLATION MUST COMPLY WITH NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
2. ALL DIMENSIONS ARE IN INCHES.
3. NET WEIGHT OF UNIT IS 40 LBS.
4. CABLE ENTRY IS TOP, BOTTOM, AND SIDES OF UNIT.
5. EQUIPMENT MOUNTING IS 12-24 TAPPED IN EIA PATTERN.
6. CAPACITY IS 400 LBS. WHEN MOUNTED AS RECOMMENDED.
7. CONSTRUCTION IS 14AWG C.R. STEEL WITH BLACK POWDER COAT FINISH.



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
BLACKHAWKLABS. ANY REPRODUCTION
IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF
BLACKHAWKLABS IS PROHIBITED.

COMMENTS:

MRQ350V16

Sheet 1/2

TITLE:

MiniRaQ Standard

SIZE	DWG. NO.	DATE	REV
C	90-060	3-20-11	2
		DRAWN BY ML	
SCALE: 1:8		WEIGHT: 40 lbs	SHEET 1 OF 2

