
8		8	7	6	
	ITEM #	PART #	DESCRIPTION	QTY.	
	1	20-203-4	VENT TRAY	1	
	2	20-235-4	COVER	1	
	3	20-238-4	RECTANGULAR PLATE	6	
=	4	20-249-4	RIGHT SIDE PANEL TALL	1	
	5	20-250-4	LEFT SIDE PANEL TALL	1	
	6	20-255-4	BACKPLATE TALL	1	
	7	20-256-4	FRONT PANEL TALL	1	

## **4U FOR EQUIPMENT MOUNTED** VERTICALLY ON BACKPLATE

## **2U FOR EQUIPMENT MOUNTED** VERTICALLY INSIDE OF BACKPLATE

## **6U FOR EQUIPMENT MOUNTED** VERTICALLY ON SIDE PANELS



## NOTES:

8

А

D

- 1. INSTALLATION MUST COMPLY WITH NATIONAL AND LOCAL ELECTRICAL REGULATIONS.
- 2. ALL DIMENSIONS ARE IN INCHES.
- 3. NET WEIGHT OF BASIC UNIT IS 66 LBS.
- 4.
- CABLE ENTRY IS TOP, BOTTOM AND SIDES OF UNIT. EQUIPMENT MOUNTING IS 12-24 TAPPED IN EIA PATTERN. 5.
- CAPACITY IS 400 LBS. WHEN MOUNTED AS RECOMMENDED. 6.

7

7. CONSTRUCTION IS HEAVY GAUGE C.R. STEEL WITH BLACK POWDER COAT FINISH.

6

5

	2	1				
	REVISIONS					
REV.	DESCRIPTION	DATE	APPROVED			
2	INITIAL PRODUCTION RELEASE	3/6/2011	TW			
4	<b>REVISION 4 PRODUCTION RELEASE</b>	5/26/2014	TW			

3

